[0099] We claim:

A peptide comprising the amino acid sequence of SEQ ID No:

- 2. A peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of osteogenesis by BMP-2 in mammalian cells.
- 3. A peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of calcification in vertebrate cells.
- 4. A peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of calcification in mammalian chondrogenic and osteogenic precursor cells.
 - 5. A composition comprising:
- (a) a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of osteogenesis by BMP-2 in mammalian cells; and
 - (b) one of a TGF- β family member.
 - 6. A composition comprising:
- (a) a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of osteogenesis by BMP-2 in mammalian cells; and
- (b) one of BMP-2, BMP-4, BMP-7 or demineralized bone matrix.
 - 7. A composition comprising:
- (a) a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of osteogenesis by BMP-2 in mammalian cells; and
- (b) one of a member molecules having sequence similarity to $\mathsf{TGF}\text{-}\beta$.

8. An isolated DNA encoding a functional peptide having the amino acid sequence of SEQ ID No: 1a.

- 9. A substantially pure nucleic acid sequence of SEQ. ID. No. 1b.
- 10. A nucleic acid construct comprising an expression vector operatively linked to a nucleic acid sequence encoding a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of osteogenesis by BMP-2 in mammalian cells.
- 11. A medicament for use in inducing the rate or degree of osteogenesis in a vertebrate including:
- (a) a therapeutically effective dosage of a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of osteogenesis by BMP-2 in mammalian cells; and
- (b) a therapeutically effective dosage of one of BMP-2 or demineralized bone matrix.
- 12. A medicament for use in inducing the rate or degree of calcification in a vertebrate including a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of calcification in vertebrate cells.
- 13. A medicament for use in inducing the rate or degree of calcification in a vertebrate including a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of calcification in mammalian chondrogenic and osteogenic precursor cells.
- 14. A method of detecting the ability of BBP to enhance the residency time of a TGF-β homologous molecule comprising:
- (a) applying an amount of the TGF- β homologous molecule at a first and second selected location;
- (b) applying a selected amount of BBP at the first selected location;

(c) detecting the amount of the TGF- β homologous molecule at the first and second location after a selected time period; and

- (d) calculating the difference between the amount of the TGF- β homologous molecule at the first and second location.
- 15. The method of claim 14, wherein TGF-β homologous molecule is one of: BMP-2, BMP-4, or BMP-7.
- 16. A method of enhancing the rate or degree of osteogenesis in vertebrate tissue, comprising applying to the tissue:
- (a) a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of osteogenesis by BMP-2 in mammalian cells; and
 - (b) one of BMP-2 or demineralized bone matrix.
- 17. A method of inducing calcification of vertebrate tissue, comprising applying to the tissue a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of calcification in vertebrate cells.
- 18. A method of inducing calcification of mammalian osteogenic tissue, comprising applying to the tissue a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of calcification in mammalian chondrogenic and osteogenic precursor cells.
- 19. A method of enhancing the rate or degree of osteogenesis in vertebrate tissue, comprising:
- (a) administering osteogenic cells to the patient at a location proximate to the desired location of osteogenesis;
- (b) administering a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of osteogenesis by BMP-2 in mammalian cells; and
- (c) administering one of BMP-2 or demineralized bone matrix.

20. A method of enhancing the rate or degree of calcification in vertebrate tissue, comprising:

- (a) administering osteogenic cells to the patient at a location proximate to the desired location of calcification;
- (b) administering a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of calcification in vertebrate chondrogenic and osteogenic precursor cells.
- 21. A method of enhancing the rate or degree of osteogenesis in a vertebrate, comprising:
- (a) treating vertebrate mesynchymal stem cells with one of BMP-2 or demineralized bone matrix to induce osteogenesis of the cells;
- (b) treating the vertebrate mesynchymal stem cells with a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of osteogenesis by BMP-2 in vertebrate cells; and
- (c) administering the vertebrate mesynchymal stem cells to the patient at a location proximate to the desired location of osteogenesis.
- 22. An article of manufacture comprising a peptide immobilized on a solid support, wherein said peptide comprises the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of osteogenesis by BMP-2 in mammalian cells.
- 23. The article of manufacture of claim 22 further including BMP-2 or demineralized bone matrix.
- 24. An article of manufacture comprising a peptide immobilized on a solid support, wherein said peptide comprises the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of calcification in vertebrate cells.
- 25. An implant for use *in vivo* comprising, a substrate having a surface, wherein at least the surface of the implant includes a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof,

wherein said fragment increases degree or rate of osteogenesis by BMP-2 in mammalian cells; and one of BMP-2 or demineralized bone matrix

- 26. An implant for use *in vivo* comprising, a substrate having a surface, wherein at least the surface of the implant includes a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of calcification in vertebrate cells..
- 27. The implant of claim 26, wherein at least the surface of the implant includes at least one of chondrogenic or osteogenic precursor cells.
- 28. The implant of claim 25 or 26, wherein the substrate is formed into the shape of a pin, screw, plate, or prosthetic joint.
- 29. A nucleic acid construct comprising an expression vector operatively linked to a nucleic acid sequence encoding a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of calcification in vertebrate cells.
- 30. A nucleic acid construct comprising an expression vector operatively linked to a nucleic acid sequence encoding a peptide comprising the amino acid sequence of SEQ ID No: 1a or a fragment thereof, wherein said fragment increases degree or rate of calcification of mammalian chondrogenic and osteogenic precursor cells.
- 31. A transformant obtained by introducing the nucleic acid construct of claim 29 or 30 into a host cell.
- 32. An antibody having selective binding to any portion of a peptide comprising the amino acid sequence of SEQ ID No: 1a, 3 or 4.
- 33. An antibody to having selective binding to any portion of a peptide comprising the amino acid sequence of SEQ ID No: 1a, 3 or 4, and wherein said antibody decreases degree or rate of osteogenesis by BMP-2 in mammalian cells.

34. An antibody to having selective binding to any portion of a peptide comprising the amino acid sequence of SEQ ID No: 1a, 3 or 4, and wherein said antibody decreases degree or rate of calcification in vertebrate cells.

- 35. An antibody to having selective binding to any portion of a peptide comprising the amino acid sequence of SEQ ID No: 1a, 3 or 4, and wherein said antibody decreases degree or rate of calcification in mammalian chondrogenic and osteogenic precursor cells.
- 36. A method of detecting the presence of BBP in sample comprising:
- (a) obtaining an antibody having selective binding to any portion of a peptide comprising the amino acid sequence of SEQ ID No: 1a, 3 or 4;
- (b) exposing the sample to the antibody having selective binding to any portion of a peptide comprising the amino acid sequence of 1a, 3 or 4;
- (c) visualizing the complex of a peptide comprising the amino acid sequence of SEQ ID No: 1a and antibody having selective binding to any portion of a peptide comprising the amino acid sequence of 1a, 3 or 4.
- 37. A method of detecting the presence of a nucleic acid encoding BBP in sample comprising:
- (a) obtaining a nucleic acid complimentary to and having selective binding to any portion of a nucleic acid sequence of SEQ ID No: 1b;
- (b) exposing the sample to the nucleic acid complimentary to and having selective binding to any portion of a nucleic acid sequence of SEQ ID No: 1b;
- (c) visualizing the complex of the nucleic acid encoding BBP and an nucleic acid complimentary to and having selective binding to any portion of a nucleic acid sequence of SEQ ID No: 1b.